

# Illinois Energy Codes FREE Training

Don't Miss Out!  
Register Now!

McHENRY COUNTY COLLEGE	
Crystal Lake, IL	Jan 19, 2012
MORAIN VALLEY COMMUNITY COLLEGE	
Palos Hills, IL	Jan 23, 2012
JOHN A. LOGAN COLLEGE	
Carterville, IL	Jan 26, 2012
KASKASKIA COLLEGE	
Centralia, IL	Feb 10, 2012
HARPER COLLEGE	
Palatine, IL	Feb 16, 2012
LEWIS & CLARK COMMUNITY COLLEGE	
Godfrey, IL	Feb 21, 2012
HEARTLAND COMMUNITY COLLEGE	
Normal, IL	Feb 27, 2012
KANKAKEE COMMUNITY COLLEGE	
Kankakee, IL	Mar 8, 2012
ROCK VALLEY COLLEGE	
Rockford, IL	Mar 13, 2012
JOHN WOOD COMMUNITY COLLEGE	
Quincy, IL	Mar 16, 2012
BLACK HAWK COLLEGE	
Moline, IL	Mar 22, 2012
ILLINOIS CENTRAL COLLEGE	
East Peoria, IL	Mar 27, 2012
SOUTHWESTERN ILLINOIS COLLEGE	
Belleville, IL	Mar 30, 2012
LINCOLN LAND COMMUNITY COLLEGE	
Springfield, IL	Apr 10, 2012
ILLINOIS EASTERN COMMUNITY COL	
Olney, IL	Apr 11, 2012
HARPER COLLEGE	
Palatine, IL	Apr 17, 2012
ILLINOIS VALLEY COMMUNITY COLLEGE	
Oglesby, IL	Apr 26, 2012
McHENRY COUNTY COLLEGE	
Crystal Lake, IL	May 8, 2012
DANVILLE COMMUNITY COLLEGE	
Danville, IL	May 10, 2012

[CLICK HERE TO REGISTER TODAY](#)

Sessions run from 8:00a to 4:30p



## ARE YOU UP TO DATE ON THE NEWEST ENERGY CONSTRUCTION CODES for ILLINOIS?

The Illinois Energy Office has announced its schedule for a training series directed at the Illinois construction industry. Homebuilders, designers, code officials and home performance professionals will be able to learn about the newest energy conservation codes for new construction, additions and renovation projects in Illinois. \* Sessions offered to Illinois Investor Owned Utility customers at no cost.

Seminars will provide the basis for the correct use of the 2012 IECC and Standard 90.1-2010 in the design, plan review, field-inspection, and analysis of construction in Illinois.

Topics Include:

- IECC 2012
- Blower Door Testing
- Duct Leakage Testing
- ASHRAE 90.1-2010
- IGCC 2012

Events approved for 6.0 AIA HSW/SD hours, 0.6 CEUs toward ICC certification renewal, and pending approval for 6.0 GBCI CE hours and 3.0 BPI CEUs.

